










Pump Shield
Pg. 10






Item	P/N	Description	OEM	QTY
1	97003	HH, Screw, Spindle, Top, 8-32 x .89, 1.02 OAL, Nickel	15-00399-04	3
2	97010	#10 Flat Washer with Flat, Nickel	15-00386-00	6
3	97037	Clamp, Aluminum	15-00654-00	1
4	97041	#8 Flat Washer, Nickel	15-00721-00	3
5	97043	HH, Screw, Fork, 10-32 x .60, Nickel	15-00698-00 REV C	6
6	97044	Wafer, Pick, Alumina	15-00699-01 REV F	12
7	97058	Retainer, Fork, Sequel, Inconel	17-101596-00	6
8	97060	Plate, Fork Retainer, Bottom, Aluminum	15-00700-00	1
9	97061	Fork, Top Plate A, Anti-Deflect, SEQ	15-101482-00	2
10	97062	Fork, Top Plate B, Anti-Deflect, SEQ	15-101482-01	3
11	97063	Fork, Top Plate C, Anti-Deflect, SEQ	15-101482-02	1
12	97068	Cup, Screw Cover, Aluminum	15-00951-00	6
13	97108	Fork, Top Plate A, Anti-Deflect, SEQ	15-277464-00	

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97060B	Fork, Bottom Plate	15-325835-00	1
2	97060C	Plate, Fork Retainer, Top, 150mm	15-00703-00	1
3	97109	Screw, 8-32 x .82, Nickel	15-376399-00	8
4	97110	Hex Nut, 8-32, Nickel	19-380482-00	8
5	97111	#8 Belleville Washer	19-380481-0	8

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97001	HH Screw, Spindle, Top, 8-32 X .36, Nickel	15-00399-03	3
2	97003	HH, Screw, Spindle, Top, 8-32 x .89, 1.02 OAL, Nickel	15-00399-04	3
3	97022	Spindle Shaft, SST	15-00401-00	1
4	97036	Clamp Centering Ring, Aluminum	No OEM Reference	1
5	97041	#8 Washer, Nickel	15-00721-00	3
6	97065	Sleeve, TC, Ceramic	15-00680-00	2
7	97066	Tube, TC, Ceramic	15-00567-00	1
8	97067	Clamp, Flat	15-00729-00	1
9	97069	Ring, Heater Hub, Ceramic	15-00483-00	1
10	97070	Bushing, Keyed, Ceramic	15-00484-00	1
11	97071	Bushing, Keyed, Ceramic	15-00731-00	1
12	97035A	Shaft Flange, Keyed *With 8-32 x .328 Inconel Helicoils P/N 82363A*	15-032631-00	1

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97001	HH Screw, Spindle, Top, 8-32 X .36, Nickel	15-00399-03	1
2	97006	Cable Assembly	16-00098-00	1
3	97019	Flat Washer, 1/4-20, Nickel	15-00372-00	1
4	97025	Hex Nut, 1/4-28, Nickel	15-00371-00	2
5	97041	#8 Washer, Nickel	15-00721-00	2
6	97043	HH, Screw, Fork, 10-32 x .60, Nickel	15-00698-00 REV C	2
7	97045	Cup, Screw Cover	15-108174-00	2
8	97046	Cap Screw, 1/4-20 X .25, Nickel	15-119059-00	2
9	97047	Feed Thru Assembly	02-111903-00	1
10	97049	Cap Screw, 1/4-20 X .50 LG, Nickel	15-114331-00	2
11	97050	Strap, RF	17-103987-00	1
12	97050A	Strap, RF, .032 Thick	17-103987-00 Modified	
13	97051	Clamp, Strap Feed Thru	15-103913-02	1
14	97053	Cap, Feed Thru, Ceramic	15-107698-00	1
15	97055	Nut, Hex, 8-32	20-00212-00	1
16	97072	Sleeve, Heater Lead 2.00", Alumina	15-00558-01	1
17	97073	Sleeve Heater Lead 2.75", Alumina	15-00558-02	1
18	8A067V	O-Ring, - 017, Viton®	No OEM Reference	2
19	97028B	Electrical Cable Assembly	16-00098-00	
20	97047A	Feed Thru Assembly, Heater	27-10114-00	1
21	97047B	Feed Thru Assembly, Heater	19-00056-00	1
22	97048A	Clamp, RF Strap	15-108307-00	1
23	97127	Strap, Heater RF, C1/C2	17-00094-01	

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.



Item	P/N	Description	OEM	QTY
1	96960	150mm Shower Head	03-00215-00	1
2	97011	Stand Off	15-00043-02	3
3	97013	Guide, Nozzle Adjuster	15-00027-02	3
4	97015	Ceramic Hub	15-00475-00	1
5	97026	Aluminum Washer	15-00686-00	1
6	97054	Nut, Hex, 1/2-20, SST	15-00229-00	1
7	97055	Nut, Hex, 8-32, SST	20-00212-00	6
8	97056	Feed Thru, 3/8 O-Seal, Aluminum	15-00685-00	1
9	97057	Hanger, Nozzle, 1.50" (200mm)	15-00309-01	3
10	97079	Fitting, 90°, 3/8" Tube	15-00830-00	1
11	82912V	O-Ring -12, Viton®	22-00344-00	1
12	8B072	Nut 3/8" F/T Ultra Torr TP PLT	22-00342-00	1
13	97057A	Hanger, Nozzle, 1.33" (150mm)	15-00309-00	

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97016	#10 Flat Washer, Nickel	15-00386-00	4
2	97019	Flat Washer, 1/4-20, Nickel	15-00372-00	6
3	97083	Spindle Clamp, SST	15-052621-00	1
4	97084	Retainer, Tong, R-Lift, Aluminum	15-052620-00	1
5	97088	Hub, Upper Indexer, Aluminum	15-034847-00	1
6	97089	Hub, Lower, Indexer	15-034848	1
7	97090	Indexer, Wafer, Exclusion, 200mm	15-00934-02	1
8	97090A	Indexer, Wafer, Exclusion, 150mm	15-00934-01	1
9	97091	Seal Retainer	15-034849-00	1
10	97092	Screw (Hex Head Bolt), 1/4-20 X .90, Vented	15-00839-00	9
11	97095	Screw (Hex Head Bolt), 10-32 X .75, Nickel	15-01104-00	4
12	97096	Shaft, Spindle, Ring Lift	15-00982-00	1
13	97097	Shaft, Ring Lift	15-01103-00	1
14	8A367	Knurled Thumb Nut 10-32, SST	No OEM Reference	3

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.



- *Proprietary polishing procedure for superb performance*
- *Chemically inert synthetic ruby orifices for consistent processing*
- *Process flexibility by customizing configurations*



Highly Engineered Precise Mechanical Crimp

Glemco P/N	Orifice Ø (Silane)	Orifice Ø (Oxygen)	OEM
97077-2220	.0200	.0220	15-259022-020
97077-2221	.0210	.0220	15-259022-021
97077-2222	.0220	.0220	15-113064-00 Rev B
97077-2223	.0255	.0220	15-259022-023
97077-2224	.0240	.0220	15-259022-024
97077-2323	.0230	.0230	15-259022-022 (Modified)
97077-2424	.0240	.0240	15-259022-022 (Modified)

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*



97113

Customized Gas Trench Cover
(15-118061-00)
Without Dome Alignment
Includes P/N 8B261 (6x)



97113A

Gas Trench Cover
(OEM: 15-118061-00)
With Dome Alignment
Includes P/N 8B261 (6x)



97113B


Gas Trench Cover
(15-118061-00 Ref)
Without Dome Alignment
Includes P/N 8B261 (6x)

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97106	Pump Shield	16-137450-00	1

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97001	HH Screw, Spindle, Top, 8-32 X .36, Nickel	15-00399-03	3
2	97003	HH, Screw, Spindle, Top, 8-32 x .89, 1.02 OAL, Nickel	15-00399-04	3
3	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	3
4	97040	HH, Screw, Spindle, Top, 8-32 x .99, 1.12 OAL, Nickel	15-00399-05	3
5	97043	HH, Screw, Fork, 10-32 x .60, Nickel	15-00698-00 REV C	6
6	8A889	#8 Washer, Flat, .02-.04 Thick, Ø.375 OD, Aluminum	20-00221-00	9

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97042	Washer, Flat, 1/4", Aluminum	20-00222-00	4
2	97045	Cup, Screw Cover	15-108174-00	4
3	97049	Nickel Cap Screw, 1/4-20 X .50 LG	15-114331-00	4
4	97050	Strap, RF	17-103987-00	2
5	97001A	Nickel Screw, 10-32 X .50 OAL	15-00457	4
6	8A890	#10 Flat Washer, Aluminum	No OEM Reference	9
7	97048A	Clamp, RF Strap	15-108307-00	2

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	4
2	97019	Nickel Flat Washer, 1/4-20	15-00372-00	4
3	97020	Nickel Hex Nut, 10-32	15-00385-00	4
4	97025	Nickel Hex Nut, 1/4-28	15-00371-00	4
5	97001A	HH Screw, 10-32 x .34,.46 OAL, Nickel	15-00457-00	4
6	97028C	Electrical Cable Assembly	16-00098-00	4

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*



Item	P/N	Description	OEM	QTY
1	97001A	HH Screw, 10-32 x .34,.46 OAL, Nickel	15-00457-00	4
2	97006	Strap, Heater, Insulated, Long	16-00098-00	2
3	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	4
4	97019	Washer, Flat, 1/4-20, Nickel	15-00372-00	4
5	97020	Hex Nut, 10-32, Nickel	15-00385-00	4
6	97025	Hex Nut, 1/4-28, Nickel	15-00371-00 Rev A	4
7	97028C	Electrical Cable Assembly	16-00098-00	2

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97008	Aluminum Heater Ground Strap	15-00126-00	3
2	97042	Washer, Flat, 1/4", Aluminum	20-00222-00	12
3	97045	Cup, Screw Cover	15-108174-00	12
4	97046	Nickel Cap Screw, 1/4-20 X .25	15-119059-00	6
5	97049	Nickel Cap Screw, 1/4-20 X .50 LG	15-114331-00	6
6	97048A	Clamp, RF Strap	15-108307-00	4

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Metal Top and Bottom Plate Kit for Novellus C1, C2 P/N K97005




Item	P/N	Description	OEM	QTY
1	97003	HH, Screw, Spindle, Top, 8-32 x .89, 1.02 OAL, Nickel	15-00399-04	3
2	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	6
3	97037	Clamp	15-00654-00	1
4	97041	#8 Washer, Flat, .032 Thick, Nickel	15-00721-00	3
5	97043	HH, Screw, Fork, 10-32 x .60, Nickel	15-00698-00	6
6	97044	Wafer, Pick	15-00699-01	12
7	97058	Retainer, Fork, Sequel, Inconel	17-101596-00	6
8	97060	Plate, Fork Retainer, Bottom	15-00700-00	1
9	97061	Fork, Top Plate, A, Antidefect, Seq.	15-101482-00	2
10	97062	Fork, Top Plate, B, Antidefect, Seq.	15-101482-01	3
11	97063	Fork, Top Plate, C, Antidefect, Seq.	15-101482-02	1
12	97068	Cup, Screw Cover	15-00951-00	6

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97043	HH, Screw, Fork, 10-32 x .60, Nickel	15-00698-00	4
2	97045	Cup, Screw Cover	15-108174-00	4
3	97046	Cap Screw, 1/4-20 x .25 Long, Nickel	15-119059-00	4
4	97048A	Clamp, RF Strap	15-108307-00	2
5	97049	Cap Screw, 1/4-20 X .50 Long, Nickel	15-114331-00	4
6	97050	Strap, RF	17-103987-00	2
7	97051	Clamp, Strap, Feedthru	15-103913-02	2

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97001A	HH Screw, 10-32 x .34,.46 OAL, Nickel	15-00457-00	4
2	97005	HH Bolt Screw, 1/4-20, Nickel	15-00341-00	4
3	97006	Strap, Heater, Insulated, Long	16-00098-00	2
4	97019	Washer, Flat, 1/4-20, Nickel	15-00372-00	8
5	97020	Hex Nut, 10-32, Nickel	15-00385-00	4
6	97028	Strap, Heater, Insulated, Short	16-00092-00	2
7	97041	#8 Washer, Flat, .032 Thick, Nickel	15-00721-00	8

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97011	Adjuster, Ceramic Gas Plate	15-00043-02	18
2	97013	Guide, Nozzle Adjuster	15-00027-02	18
3	97055	Nut, Hex, 8-32, .164, Aluminum	20-00212-00	36
4	97057	Hanger, Nozzle, 1.50", (200mm)	15-00309-01	18

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97001	HH Screw, Spindle, Top, 8-32 X .36, Nickel	15-00399-03	3
2	97002	Hex Head Bolt, 8-32 X .83,.960, Nickel	15-00399-02	6
3	97003	HH, Screw, Spindle, Top, 8-32 x .89, 1.02 OAL, Nickel	15-00399-04	3
4	97005	HH Bolt Screw, 1/4-20, Nickel	15-00341-00	6
5	97016	#10 Flat Washer, Nickel	15-00386-00	8
6	97019	Flat Washer, 1/4-20, Nickel	15-00372-00	8
7	97020	Hex Nut, 10-32, Nickel	15-00385-00	4
8	97025	Hex Nut, 1/4-28, Nickel	No OEM Reference	8
9	97028	Strap, Heater, Insulated, Short	16-00092-00	2
10	97041	#8 Washer, Nickel	15-00721-00	3
11	97042	Washer, Flat, 1/4", Aluminum	20-00222-00	14
12	97001A	Hex Head Bolt, 10-32 X .34,.46, Nickel	15-00457-00	4
13	97028C	Electrical Cable Assembly	16-00098-00	2
14	97104-1	Shim, V-Type, .010	15-00554-10	1
15	97104-2	Shim, V-Type, .005	15-00554-05	2
16	97104-3	Shim, V-Type, .031	15-00554-31	1
17	97105-1	Shim, Heater, Flat, .005	15-00553-05	1
18	97105-2	Shim, Heater, Flat, .010	15-00553-10	2
19	97105-3	Shim, Heater, Flat, .031	15-00553-31	1
20	8A889	#8 Washer, Flat, .02-.04 Thick, Ø.375 OD, Aluminum	20-00221-00	6

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97104-1	Shim, V-Type, .010	15-00554-10	1
2	97104-2	Shim, V-Type, .005	15-00554-05	2
3	97104-3	Shim, V-Type, .031	15-00554-31	1
4	97105-1	Shim, Heater, Flat, .005	15-00553-05	3
5	97105-2	Shim, Heater, Flat, .010	15-00553-10	2
6	97105-3	Shim, Heater, Flat, .031	15-00553-31	2

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97011	Adjuster, Ceramic Gas Plate	15-00043-02	3
2	97013	Guide, Nozzle Adjuster	15-00027-02	3
3	97055	Nut, Hex, 8-32, .164, Aluminum	20-00212-00	6
4	97057A	Hanger, Nozzle, 1.33", (150mm)	15-00309-00	3

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97011	Adjuster, Ceramic Gas Plate	15-00043-02	3
2	97013	Guide, Nozzle Adjuster	15-00027-02	3
3	97055	Nut, Hex, 8-32, .164, Aluminum	20-00212-00	6
4	97057	Hanger, Nozzle, 1.50", (200mm)	15-00309-01	3

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	8A889	#8 Washer, Flat, .02-.04 Thick, Ø.375 OD, Aluminum	20-00221-00	9
2	97001	HH Screw, Spindle, Top, 8-32 X .36, Nickel	15-00399-03	3
3	97003	HH, Screw, Spindle, Top, 8-32 x .89, 1.02 OAL, Nickel	15-00399-04	3
4	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	6
5	97040	HH, Screw, Spindle, Top, 8-32 x .99, 1.12 OAL, Nickel	15-00399-05	3
6	97043	HH, Screw, Fork, 10-32 x .60, Nickel	15-00698-00	6

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	8A890	#10 Washer, Flat, Ø.438 OD, .05-.07 Thick, Aluminum	No OEM Reference	4
2	97003	HH, Screw, Spindle, Top, 8-32 x .89, 1.02 OAL, Nickel	15-00399-04	4
3	97042	Washer, Flat, 1/4", Aluminum	20-00222-00	4
4	97045	Cup, Screw Cover	15-108174-00	4
5	97048A	Clamp, RF Strap	15-108307-00	2
6	97049	Cap Screw, 1/4-20 X .50 Long, Nickel	15-114331-00	4
7	97050	Strap, RF	17-103987-00	2

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97001A	HH Screw, 10-32 x .34,.46 OAL, Nickel	15-00457-00	4
2	97006	Strap, Heater, Insulated, Long	16-00098-00	2
3	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	4
4	97019	Washer, Flat, 1/4-20, Nickel	15-00372-00	4
5	97020	Hex Nut, 10-32, Nickel	15-00385-00	4
6	97025	Hex Nut, 1/4-28, Nickel	15-00371-00	4
7	97028	Strap, Heater, Insulated, Short	16-00092-00	2

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97005	HH Bolt Screw, 1/4-20, Nickel	15-00341-00	4
2	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	8
3	97019	Washer, Flat, 1/4-20, Nickel	15-00372-00	12
4	97020	Hex Nut, 10-32, Nickel	15-00385-00	4
5	97021	HH Screw, Strap, Heater, 10-32 x 0.25", Nickel	No OEM Reference	4
6	97025	Hex Nut, 1/4-28, Nickel	15-00371-00	12
7	97028B	Electrical Cable Assembly	16-00098-00	4
8	97042	Washer, Flat, 1/4", Aluminum	20-00222-00	4
9	97050	Strap, RF	17-103987-00	2

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97001A	HH Screw, 10-32 x .34,.46 OAL, Nickel	15-00457-00	4
2	97006	Strap, Heater, Insulated, Long	16-00098-00	2
3	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	8
4	97019	Washer, Flat, 1/4-20, Nickel	15-00372-00	8
5	97020	Hex Nut, 10-32, Nickel	15-00385-00	4
6	97025	Hex Nut, 1/4-28, Nickel	15-00371-00 Rev A	8
7	97028	Strap, Heater, Insulated, Short	16-00092-00	2

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*




Item	P/N	Description	OEM	QTY
1	97001A	HH Screw, 10-32 x .34,.46 OAL, Nickel	15-00457-00	4
2	97006	Strap, Heater, Insulated, Long	16-00098-00	2
3	97010	#10 Washer, Flat w/ Flat, Nickel	15-00386-00	8
4	97020	Hex Nut, 10-32, Nickel	15-00385-00	4
5	97028	Strap, Heater, Insulated, Short	16-00092-00	2

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.




Item	P/N	Description	OEM	QTY
1	97020	Hex Nut, 10-32, Nickel	15-00385-00	4
2	97045	Cup, Screw Cover	15-108174-00	4
3	97048A	Clamp, RF Strap	15-108307-00	2
4	97049	Cap Screw, 1/4-20 X .50 Long, Nickel	15-114331-00	4
5	97050A	Strap, RF, .032 Thick	17-103987-00 MOD	2
6	97052	HH Vented Screw, 10-32 X .50, Nickel	15-00935-00	4

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*



Item	P/N	Description	OEM	QTY
1	97100	Insert, Split, Outer C2	15-250022-22	1
2	97102	Liner, MESC Flange Insert	15-250025-00	1
3	97099C	Insert, Mesc Flange, Modified For Liner	22-251953-00	1
4	8A939V	2-168 Brown Split Insert O-Ring	No OEM Reference	1
5	8B061V	-266 O-Ring Viton®	22-00042-00	1
6	8B062	Washer Lock 1/4 HI Collar SST.	21-109082-08	4
7	8B063	Screw SKT 1/4-28 X .5" V, NP	21-250660-00	4

** Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.*



Item	P/N	Description	OEM
1	97074	Window Hatch, TM DLCM	15-11188-00, 15-253964-00
2	97107	Tube, Injector, Hi-Purity 4.13	15-050160-41
3	97111	#8 Belleville Washer	19-380481-0
4	97112	Blade, Wafer Placement	15-00313-01, 15-00313-01 B
5	97121	Screw, Spindle 8-32 X .800, Nickel	15-126576-00
6	97124	1/4-20 X .5 Hex Head Screw	15-00932-00
7	97125	1/4" Belleville Washer, Nickel	19-00273-00
8	97126	Holder Tube	16-259395-00

* Glemco offers improvements, modifications, or alternatives to standard OEM replacement components as indicated in red throughout this guide.